

Please refer to the attachment for text in other languages
 Bitte entnehmen Sie dem Beilagezettel den Text der anderen Sprachen
 Merci de se référer à l'annexe joint pour le texte dans d'autres langues
 Fare riferimento all'allegato per il testo nelle altre lingue.
 Véase el anexo para el texto en otros idiomas

For at se teksten på andre sprog henvises der til vedlagte produktinformation
 För text på övriga språk hänvisas till bilagan
 Por favor consulte o anexo para informação noutras linguas
 Δείτε στην επισύναψη, το κείμενο σε άλλες γλώσσες.

CE EIGHTCHECK-3WP Assay Sheet

High Level

LOT

7230 0823



25-Nov-2017

Temperature during Assay

25°C

Model		WBC 10e3/ μ l	RBC 10e6/ μ l	HGB		HCT %	MCV fl	MCH		MCHC		PLT 10e3/ μ l
				g/dl	mmol/l			pg	fmol	g/dl	mmol/l	
K-800 K-1000 K-4500 1)	Range	20.3	5.64	17.4	10.8	48.2	86.7	32.6	2020	39.5	24.5	581
		17.3	5.26	16.4	10.2	41.8	78.5	29.4	1828	35.7	22.1	447
	Mean	18.8	5.45	16.9	10.5	45.0	82.6	31.0	1924	37.6	23.3	514
K-4500 Closed Mode 2)	Range	20.2	5.75	17.7	11.0	48.4	86.7	32.9	2039	40.4	25.0	564
		15.6	5.15	16.1	10.0	41.6	78.5	29.1	1809	34.8	21.6	434
	Mean	17.9	5.45	16.9	10.5	45.0	82.6	31.0	1924	37.6	23.3	499
KX-21N KX-21 2)	Range	18.9	5.58	17.5	10.9	47.9	87.3	33.2	2063	40.6	25.1	616
		16.5	5.16	16.3	10.1	41.3	78.9	29.8	1847	35.2	21.9	474
	Mean	17.7	5.37	16.9	10.5	44.6	83.1	31.5	1955	37.9	23.5	545
F-800 F-820	Range	20.9	5.80	18.1	11.2	52.1	94.2	33.4	2.08	38.1	23.7	533
		17.5	5.24	16.3	10.2	45.3	81.8	29.0	1.80	32.5	20.1	371
	Mean	19.2	5.52	17.2	10.7	48.7	88.2	31.2	1.94	35.3	21.9	519
F-300 F-500 F-520	Range	20.9	5.80	18.1	11.2	52.1	94.2	33.4	2.08	38.1	23.7	533
		17.5	5.24	16.3	10.2	45.3	81.8	29.0	1.80	32.5	20.1	371
	Mean	19.2	5.52	17.2	10.7	48.7	88.0	31.2	1.94	35.3	21.9	452
pocH-100i 2)	Range	19.6	5.85	17.7	11.0	52.5	92.5	32.0	1983	37.2	23.1	592
		16.4	5.29	16.1	10.0	44.7	82.1	28.6	1777	32.4	20.1	438
	Mean	18.0	5.57	16.9	10.5	48.6	87.3	30.3	1880	34.8	21.6	515
XP-Series 2)	Range	18.1	5.58	17.0	10.6	47.3	86.0	32.2	1997	39.9	24.7	624
		15.7	5.16	15.8	9.8	40.7	77.8	28.8	1789	34.7	21.5	480
	Mean	16.9	5.37	16.4	10.2	44.0	81.9	30.5	1893	37.3	23.1	552
	Limit %	7.0	4.0	3.5	3.5	7.5	5.0	5.5	5.5	7.0	7.0	13
	Limit #	1.2	0.21	0.6	0.4	3.3	4.1	1.7	104	2.6	1.6	72

Model		W-SCR	W-MCR	W-LCR	W-SCC	W-MCC	W-LCC	W-SMV	W-LMV	RDW-CV	RDW-SD	PDW	MPV	P-LCR	PCT
		%	%	% 3)	10e3/ μ l 3)	10e3/ μ l 3)	10e3/ μ l 3)	fl	fl	%	fl	fl	fl	%	%
K-1000 K-4500 1)	Range	35.5	19.3	53.5	6.8	3.7	10.3	57.0	202.2	11.7	29.7	8.4	9.9	20.6	
		30.9	14.3	46.5	5.6	2.7	8.5	39.6	172.2	8.7	21.9	6.8	8.5	6.8	
	Mean	33.2	16.8	50.0	6.2	3.2	9.4	48.3	187.2	10.2	25.8	7.6	9.2	13.7	
K-4500 Closed Mode 2)	Range	38.2	21.0	57.5	7.1	3.8	10.8	57.0	217.2	12.0	30.4	9.1	10.1	21.9	
		28.2	12.6	42.5	4.7	2.2	7.2	39.6	157.2	8.4	21.2	6.1	8.3	5.5	
	Mean	33.2	16.8	50.0	5.9	3.0	9.0	48.3	187.2	10.2	25.8	7.6	9.2	13.7	
KX-21N KX-21	Range	40.0	19.6	53.0	7.1	3.5	9.6	70.3	218.2	10.1	36.9	9.1	9.8	19.8	
		29.6	11.8	46.0	5.3	2.1	7.8	48.9	161.2	7.5	27.3	7.5	8.4	6.6	
	Mean	34.8	15.7	49.5	6.2	2.8	8.7	59.6	189.7	8.8	32.1	8.3	9.1	13.2	
F-800 F-820	Range	42.0		73.0	7.3		12.6			17.1	46.6	9.5	11.0		
		31.0		54.0	6.0		10.4			12.7	34.4	5.7	7.4		
	Mean	36.5		63.5	7.0		12.2			14.9	40.5	7.6	9.2		
pocH-100i	Range	41.5	18.3	53.1	7.5	3.3	10.0	73.4	215.7	16.9	50.7	9.2	10.6	22.1	
		30.7	10.3	46.1	5.5	1.9	7.8	51.0	159.5	12.5	37.5	7.6	9.0	5.5	
	Mean	36.1	14.3	49.6	6.5	2.6	8.9	62.2	187.6	14.7	44.1	8.4	9.8	13.8	
XP-Series	Range	40.3	20.1	52.3	6.8	3.4	9.1	73.3	224.1	10.0	36.9	9.0	10.0	20.6	0.73
		29.7	12.1	45.5	5.0	2.0	7.5	50.9	165.7	7.4	27.3	7.4	8.6	6.8	0.29
	Mean	35.0	16.1	48.9	5.9	2.7	8.3	62.1	194.9	8.7	32.1	8.2	9.3	13.7	0.51
	Limit %	15.0	25.0	7.0	15.0	25.0	10.0	18.0	15.0	15.0	10.0	8.0	50.0	43.0	
	Limit #	5.3	4.0	3.4	0.9	0.7	0.8	11.2	29.2	1.3	4.8	0.8	0.7	6.9	0.22

Remarks:

- 1) K-4500: Open Mode assay values
 2) MCH value in amol and not in fmol

- 3) These parameters values should be used as a reference only

Please refer to the attachment for text in other languages
 Bitte entnehmen Sie dem Beilagezettel den Text der anderen Sprachen
 Merci de se référer à l'annexe joint pour le texte dans d'autres langues
 Fare riferimento all'allegato per il testo nelle altre lingue.
 Véase el anexo para el texto en otros idiomas

For at se teksten på andre sprog henvises der til vedlagte produktinformation
 För text på övriga språk hänvisas till bilagan
 Por favor consulte o anexo para informação noutras línguas
 Δείτε στην επισύναψη, το κείμενο σε άλλες γλώσσες.

CE EIGHTCHECK-3WP Assay Sheet

Normal Level

LOT

7231 0822



25-Nov-2017

Temperature during Assay

25°C

Model		WBC 10e3/ μ l	RBC 10e6/ μ l	HGB		HCT %	MCV fl	MCH		MCHC		PLT 10e3/ μ l
				g/dl	mmol/l			pg	fmol	g/dl	mmol/l	
K-800 K-1000 K-4500 1)	Range	7.9	4.72	13.1	8.1	36.8	79.2	29.3	1818	38.9	24.2	255
		6.7	4.40	12.3	7.7	32.0	71.6	26.5	1644	34.9	21.6	189
	Mean	7.3	4.56	12.7	7.9	34.4	75.4	27.9	1731	36.9	22.9	222
K-4500 Closed Mode 2)	Range	7.8	4.79	13.2	8.2	37.0	79.2	29.6	1835	39.7	24.6	247
		6.0	4.33	12.2	7.6	31.8	71.6	26.2	1627	34.1	21.2	183
	Mean	6.9	4.56	12.7	7.9	34.4	75.4	27.9	1731	36.9	22.9	215
KX-21N KX-21 2)	Range	7.4	4.64	13.1	8.1	36.7	80.3	30.1	1866	39.8	24.7	259
		6.4	4.28	12.3	7.7	31.5	72.7	26.9	1672	34.6	21.5	191
	Mean	6.9	4.46	12.7	7.9	34.1	76.5	28.5	1769	37.2	23.1	225
F-800 F-820	Range	8.0	4.83	13.5	8.4	40.3	87.7	30.0	1.86	36.9	22.9	238
		6.6	4.37	12.3	7.6	35.1	76.3	26.0	1.62	31.5	19.5	188
	Mean	7.3	4.60	12.9	8.0	37.7	82.0	28.0	1.74	34.2	21.2	221
F-300 F-500 F-520	Range	8.0	4.83	13.5	8.4	40.3	87.7	30.0	1.86	36.9	22.9	238
		6.6	4.37	12.3	7.6	35.1	76.3	26.0	1.62	31.5	19.5	166
	Mean	7.3	4.60	12.9	8.0	37.7	82.0	28.0	1.74	34.2	21.2	202
pocH-100i 2)	Range	7.5	4.86	13.2	8.2	40.2	85.1	28.8	1789	36.3	22.5	247
		6.3	4.40	12.0	7.4	34.2	75.5	25.6	1587	31.5	19.5	183
	Mean	6.9	4.63	12.6	7.8	37.2	80.3	27.2	1688	33.9	21.0	215
XP-Series 2)	Range	7.1	4.67	12.7	7.8	36.3	79.1	28.9	1794	38.9	24.2	262
		6.1	4.31	11.9	7.4	31.3	71.5	25.9	1606	33.9	21.0	194
	Mean	6.6	4.49	12.3	7.6	33.8	75.3	27.4	1700	36.4	22.6	228

Model		W-SCR	W-MCR	W-LCR	W-SCC	W-MCC	W-LCC	W-SMV	W-LMV	RDW-CV	RDW-SD	PDW	MPV	P-LCR	PCT
		%	%	% 3)	10e3/ μ l 3)	10e3/ μ l 3)	10e3/ μ l 3)	fl	fl	%	fl	fl	fl	%	%
K-1000 K-4500 1)	Range	31.7	14.5	61.8	2.4	1.0	4.6	57.2	190.7	14.4	32.1	10.3	10.6	32.6	
		27.5	10.7	53.8	2.0	0.8	3.8	39.8	162.5	10.6	23.7	8.5	9.0	10.8	
	Mean	29.6	12.6	57.8	2.2	0.9	4.2	48.5	176.6	12.5	27.9	9.4	9.8	21.7	
K-4500 Closed Mode 2)	Range	31.7	14.5	61.8	2.2	1.0	4.4	57.2	190.7	14.4	32.1	10.3	10.6	32.6	
		27.5	10.7	53.8	1.8	0.8	3.6	39.8	162.5	10.6	23.7	8.5	9.0	10.8	
	Mean	29.6	12.6	57.8	2.0	0.9	4.0	48.5	176.6	12.5	27.9	9.4	9.8	21.7	
KX-21N KX-21	Range	35.4	14.4	61.7	2.4	1.0	4.4	70.1	210.3	12.7	40.1	11.3	10.5	32.0	
		26.2	8.6	53.7	1.8	0.6	3.6	48.7	155.5	9.3	29.7	9.3	8.9	10.6	
	Mean	30.8	11.5	57.7	2.1	0.8	4.0	59.4	182.9	11.0	34.9	10.3	9.7	21.3	
F-800 F-820	Range	36.1		78.9	2.6		5.4			17.3	51.3	11.4	12.0		
		26.7		58.3	2.0		4.3			12.7	37.9	6.8	8.0		
	Mean	31.4		68.6	2.3		5.0			15.0	44.6	9.1	10.0		
pocH-100i	Range	35.7	13.4	62.6	2.4	0.9	4.6	72.9	210.3	20.1	53.4	11.4	11.6	38.1	
		26.3	7.6	54.4	1.8	0.5	3.6	50.7	155.5	14.9	39.4	9.4	9.8	9.5	
	Mean	31.0	10.5	58.5	2.1	0.7	4.1	61.8	182.9	17.5	46.4	10.4	10.7	23.8	
XP-Series	Range	35.2	14.3	62.1	2.3	1.0	4.2	72.9	215.6	12.5	40.4	11.0	10.6	33.0	0.31
		26.0	8.5	53.9	1.7	0.6	3.4	50.7	159.4	9.3	29.8	9.0	9.0	11.0	0.13
	Mean	30.6	11.4	58.0	2.0	0.8	3.8	61.8	187.5	10.9	35.1	10.0	9.8	22.0	0.22

Remarks:

- 1) K-4500: Open Mode assay values
- 2) MCH value in amol and not in fmol

3) These parameters values should be used as a reference only